

**LAB1ST**



# Mixing



Labfirst Scientific Instruments (Shanghai) Co., Ltd.

# Grillster T


## LCD Digital Tube Rotator, Horizontal

### Features

- LCD displays speed and time
- Adjustable speed range of 10 to 70 rpm
- Provides gentle but effective rolling and mixing
- Can be used in cold rooms or incubators
- Wide variety of Disk accessories and Rotisserie accessories available

### Applications

Laboratory Tube Rotators are ideal for Biochemistry, Molecular Biology and Clinical applications. Provides a gentle but effective mixing of biological samples in 1.5mL to 50mL micro tubes, used in a variety of applications including immune precipitations, prevention of blood coagulation, latex diagnostics etc.



Specifications	Grillster T
Motor type	Brushless DC motor
Speed range	10-70rpm
Speed display	LCD
Timer display	LCD
Timer	1-1199min
Operation mode	Continuous / timer
Voltage,Frequency	100-240V, 50/60Hz
Power	40W
Dimension [D×W×H ]	220×510×260mm
Permissible ambient temperature and humidity	5-40°C,80%RH
Protection class	IP21

**Disk Accessories Type-1**

Cat. No.921401

Used for Rotaster 3  
for 1.5mLx60 centrifuge tubes holder



**Disk Accessories Type-2**

Cat. No.921402


Used for Rotaster 3  
for 15mLx16 centrifuge tubes holder



**Disk Accessories Type-3**

Cat. No.921403

Used for Rotaster 3  
for 50mLx8 centrifuge tubes holder



**Disk support rods**

Cat. No.921404

4pcs in a group  
use with disk accessories



**Rotisserie Accessory Type-3**

Cat. No.921407

Used for Grillster T, for 50 mLx24  
centrifuge tubes held horizontally



**Rotisserie Accessory Type-4**

Cat. No.921408

Used for Grillster T, for 1.5 mLx32  
centrifuge tubes held vertically



**Rotisserie Accessory Type-1**

Cat. No.921405

Used for Grillster T, for 1.5 mLx48  
centrifuge tubes held horizontally



**Rotisserie Accessory Type-5**

Cat. No.921409

Used for Grillster T, for 15 mLx16  
centrifuge tubes held vertically



**Rotisserie Accessory Type-2**

Cat. No.921406

Used for Grillster T, for 15 mLx24  
centrifuge tubes held horizontally




**Rotisserie Accessory Type-6**

Cat. No.921410

Used for Grillster T, for 50 mLx16  
centrifuge tubes held vertically



Lab1st mixers range can be divided into different series as per mixing speed, working mode, load capacity etc:

Series	Image	Model	Speed Range	Working mode	Capacity
<b>Vortex Mixer</b>		Vortex S	0~3000rpm	Orbital (touch + continuous modes)	-
		Vortex F	3000rpm(fixed)	Orbital (touch + continuous modes)	-
		Vortex E	3000rpm (fixed)	Orbital (touch mode)	-
		Vortex C	0~3000rpm	Orbital (touch + continuous modes)	8x2mL
<b>Microplate Mixer</b>		Microster M	0~1500rpm	Orbital (continuous mode)	0.5Kg
<b>Disk Rotator</b>		Rotaster 3	10~70rpm	360° rolling (timer + continuous)	60x1.5mL, 16x15mL, 8x50mL, (available for 3 layers)
<b>Rotisserie Rotator</b>		Grillster T	10~70rpm	360° rolling (timer + continuous)	48x1.5mL, 24x15mL, 24x50mL
<b>Disk Rotator</b>		Rotaster 1 basic	0~80rpm	360° rolling (continuous)	48x2mL, 16x15mL, 8x50mL
<b>Rotisserie Rotator</b>		Grillster basic	0~80rpm	360° rolling (continuous)	32x2mL, 20x15mL, 16x50mL
<b>Rocker</b>		See-saw 30 basic	0~30rpm	30±3° rocking (continuous)	10x10mL, 4x50mL
		See-saw 30L	0~30rpm	30±3° rocking (continuous)	16x10mL 6x50mL
		See-saw 30D	0~30rpm	40±3° rocking (continuous)	32x10mL, 12x50mL
<b>Roller</b>		Rollster 6	0~70rpm	360° rocking&rolling (timer + continuous)	4Kg
		Rollster 6 basic	0~70rpm	360° rocking&rolling (continuous)	4Kg

Lab1st shaker series can be divided to different types as per different motion models:

Series	Image	Model	Plate Size	Display	Speed Range	Max. Load Capacity
<b>Orbital Shaker</b>		Orbiter 330	32x32cm	LCD	100-500rpm	7.5Kg
		Orbiter 250	25x24.5cm	LCD	100-800rpm	2.5Kg
		Orbiter 330 basic	33.5x33.5cm	LCD	70-400rpm	3Kg
		Orbiter 250 basic	26.8X26.8cm	LED	40-200rpm	2Kg
<b>Linear Shaker</b>		Recipster 330	32x32cm	LCD	100-350rpm	7.5Kg
		Recipster 250	25x24.5cm	LCD	100-350rpm	2.5Kg
<b>Rocking Shaker</b>		Wavester 330	30x28.5cm	LCD	10-70rpm	10Kg
		Wavester 250 basic	26.8x26.8cm	LED	10-80rpm	2Kg
<b>3D Shaker</b>		3D-Ster 330	30x28.5cm	LCD	10-70rpm	5Kg